Franklin International

Safety Data Sheet

Titebond Genuine Hide Glue

Section 1. Identification

| GHS product identifier | : Titebond Genuine Hide Glue |
|--|--|
| Physical state | : Liquid. |
| Address | : Franklin International 2020 Bruck Street Columbus OH 43207 |
| Contact person | : Franklin Technical Services |
| Telephone | : (800) 877-4583 |
| In case of emergency | : Franklin Security (614) 445-1300 |
| e-mail address of person responsible for this SDS | : SDS@FranklinInternational.com |
| Reference number | : 1103 |
| Product code | : 5014 |
| Date of revision | : 10/6/2023 |
| Safety Data Sheets are available online at | : www.FranklinInternational.com |
| Chemtrec (24 Hour) | : (800) 424 - 9300 |
| Chemtrec International | : +1 703-741-5970 |
| Chemical family | : Adhesive. |
| Relevant identified uses of the line of th | he substance or mixture and uses advised against |

Uses advised against

Not applicable.

Section 2. Hazards identification

| OSHA/HCS status | : This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200). |
|--|---|
| Classification of the substance or mixture | : EYE IRRITATION - Category 2B |
| GHS label elements | |
| Signal word | : Warning |
| Hazard statements | : Causes eye irritation. |
| Precautionary statemen | <u>S</u> |
| Prevention | : Wash thoroughly after handling. |
| Response | : IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice of attention. |
| Storage | : Not applicable. |
| Disposal | : Not applicable. |
| Date of issue/Date of revision | : 10/6/2023 Version : 1.2 1/1 |

Section 2. Hazards identification

Hazards not otherwise classified

: None known.

Section 3. Composition/information on ingredients

Substance/mixture

: Mixture

Other means of

: Not available.

identification

| Ingredient name | % | CAS number |
|----------------------|-----|------------|
| ammonium thiocyanate | ≤10 | 1762-95-4 |

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

| Description of necess | ary first aid measures |
|------------------------------|--|
| Eye contact | Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. If irritation persists, get medical attention. |
| Inhalation | : Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours. |
| Skin contact | Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if needed. Wash clothing before reuse. Clean shoes thoroughly before reuse. |
| Ingestion | : Wash out mouth with water. Remove dentures if any. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. |
| Most important sympt | oms/effects, acute and delayed |
| Potential acute healt | <u>n effects</u> |
| Eye contact | : Causes eye irritation. |
| Inhalation | : No known significant effects or critical hazards. |
| Skin contact | : No known significant effects or critical hazards. |
| Ingestion | : No known significant effects or critical hazards. |
| Over-exposure signs | /symptoms |
| Eye contact | : Adverse symptoms may include the following: irritation watering redness |

2/10

Section 4. First aid measures

| Inhalation | : No specific data. | |
|--|---|--|
| Skin contact | : No specific data. | |
| Ingestion | : No specific data. | |
| Indication of immediate medical attention and special treatment needed, if necessary | | |
| Notes to physician | In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours. | |
| Specific treatments | : No specific treatment. | |
| Protection of first-aiders | : No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. | |
| | | |

See toxicological information (Section 11)

Section 5. Fire-fighting measures

| Extinguishing media | |
|--|---|
| Suitable extinguishing media | : Use an extinguishing agent suitable for the surrounding fire. |
| Unsuitable extinguishing media | : None known. |
| Specific hazards arising from the chemical | : In a fire or if heated, a pressure increase will occur and the container may burst. |
| Hazardous thermal decomposition products | : Decomposition products may include the following materials: carbon dioxide carbon monoxide nitrogen oxides sulfur oxides |
| Special protective actions for fire-fighters | Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. |
| Special protective equipment for fire-fighters | : Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. |

Section 6. Accidental release measures

| Personal precautions, protect | tiv | e equipment and emergency procedures |
|--------------------------------|-----|--|
| For non-emergency personnel | : | No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment. |
| For emergency responders | : | If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel". |
| Environmental precautions | : | Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). |
| Methods and materials for co | nt | ainment and cleaning up |
| Small spill | : | Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor. |

Section 6. Accidental release measures

Large spill: Stop leak if without risk. Move containers from spill area. Approach release from
upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash
spillages into an effluent treatment plant or proceed as follows. Contain and collect
spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or
diatomaceous earth and place in container for disposal according to local regulations
(see Section 13). Dispose of via a licensed waste disposal contractor. Contaminated
absorbent material may pose the same hazard as the spilled product. Note: see
Section 1 for emergency contact information and Section 13 for waste disposal.

Section 7. Handling and storage

| Precautions for safe handling | 1 | |
|--|---|---|
| Protective measures | : | Put on appropriate personal protective equipment (see Section 8). Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing vapor or mist. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container. |
| Advice on general occupational hygiene | : | Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures. |
| Conditions for safe storage, including any incompatibilities | : | Do not store below the following temperature: 4.4444 to 32.222°C (40 to 90°F). Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use. |

Section 8. Exposure controls/personal protection

Control parameters

Occupational exposure limits

| Ingredient name | Exposure limits |
|----------------------|---|
| ammonium thiocyanate | OSHA PEL 1989 (United States, 3/1989). [Cyanides (as CN)] Absorbed through skin. TWA: 5 mg/m ³ , (as CN) 8 hours. OSHA PEL (United States, 5/2018). [Cyanides (as CN)] Absorbed through skin. TWA: 5 mg/m ³ , (as CN) 8 hours. |

Biological exposure indices

No exposure indices known.

| Appropriate engineering controls | : Good general ventilation should be sufficient to control worker exposure to airborne contaminants. |
|----------------------------------|--|
| Environmental exposure controls | : Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be pecessary to reduce emissions to acceptable levels |

Individual protection measures

Section 8. Exposure controls/personal protection

| - | • • |
|------------------------|--|
| Hygiene measures | : Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location. |
| Eye/face protection | : Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles. |
| Skin protection | |
| Hand protection | : Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated. |
| Body protection | : Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. |
| Other skin protection | : Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. |
| Respiratory protection | : If this product contains ingredients with exposure limits, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure below any recommended or statutory limits. Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use. |

Section 9. Physical and chemical properties

The conditions of measurement of all properties are at standard temperature and pressure unless otherwise indicated.

| Appearance | |
|---|---|
| Physical state | : Liquid. |
| Color | : Amber. |
| Odor | : Characteristic. [Slight] |
| Odor threshold | : Not available. |
| рН | : 6.5 |
| Melting point/freezing point | : Not available. |
| Boiling point, initial boiling point, and boiling range | : 100°C (212°F) |
| Flash point | : Closed cup: >93.3°C (>199.9°F) [Setaflash] [Product does not sustain combustion.] |
| Evaporation rate | : Not available. |
| Flammability | : Not available. |
| Lower and upper explosion limit/flammability limit | : Not available. |
| VOC (less water, less exempt solvents) | : 0 g/l |
| Volatility | : 48% (w/w) |
| Vapor pressure | |

Section 9. Physical and chemical properties

| | V | Vapor Pressure at 20°C | | | Vapor pressure at 50°C | | |
|------------------------|-----------|------------------------|--------|-------|------------------------|--------|--|
| Ingredient name | mm Hg | kPa | Method | mm Hg | kPa | Method | |
| water | 17.5 | 2.3 | | | | | |
| Relative vapor density | : Not ava | ailable. | | | | | |
| Relative density | : 1.15 | | | | | | |
| Solubility(ies) | : | | | | | | |

| Media | | Result |
|--|-------|---------------------------|
| cold water hot water | | Soluble Soluble |
| Partition coefficient: n- octanol/water | : Not | applicable. |
| Auto-ignition temperature Decomposition temperature | : Not | applicable. available. |
| Viscosity | : Not | available. |

Section 10. Stability and reactivity

| Reactivity | : No specific test data related to reactivity available for this product or its ingredients. |
|------------------------------------|--|
| Chemical stability | : The product is stable. |
| Possibility of hazardous reactions | : Under normal conditions of storage and use, hazardous reactions will not occur. |
| Conditions to avoid | : No specific data. |
| Incompatible materials | : No specific data. |
| Hazardous decomposition products | : Under normal conditions of storage and use, hazardous decomposition products should not be produced. |

Section 11. Toxicological information

Information on toxicological effects

| | 4. | | N V | +. | to | 4 | ~ | Λ |
|----------------|----|----|------------|----|----|----|---|---|
| Acute toxicity | ιų | CI | JXI | | ιe | uı | C | А |

| Product/ingredient name | Result | Species | Dose | Exposure |
|-------------------------|-----------|---------|-----------|----------|
| mmonium thiocyanate | LD50 Oral | Rat | 750 mg/kg | - |

Irritation/Corrosion

Not available.

Sensitization

Not available.

Mutagenicity

Not available.

Carcinogenicity

Not available.

Reproductive toxicity

Not available.

Teratogenicity

Not available.

Specific target organ toxicity (single exposure)

Section 11. Toxicological information

Not available.

Specific target organ toxicity (repeated exposure)

Not available.

| routes of exposureRoutes ofPotential acute health effects | vn significant effects or critical hazards. | | | | | | | |
|--|--|---|--|--|--|--|--|--|
| | vn significant effects or critical hazards. | | | | | | | |
| Eve contact · Causes | vn significant effects or critical hazards. | | | | | | | |
| Lyo contact . causes | 0 | Causes eye irritation. | | | | | | |
| Inhalation : No know | | No known significant effects or critical hazards. | | | | | | |
| Skin contact : No know | vn significant effects or critical hazards. | No known significant effects or critical hazards. | | | | | | |
| Ingestion : No know | vn significant effects or critical hazards. | | | | | | | |
| Symptoms related to the physical, chem | ical and toxicological characteristics | | | | | | | |
| Eye contact : Adverse irritation watering redness | I | | | | | | | |
| Inhalation : No spec | ific data. | | | | | | | |
| Skin contact : No spec | : No specific data. | | | | | | | |
| Ingestion : No spec | : No specific data. | | | | | | | |
| Delayed and immediate effects and also | chronic effects from short and long term ex | <u>posure</u> | | | | | | |
| <u>Short term exposure</u> | | | | | | | | |
| Potential immediate : Not avai effects | lable. | | | | | | | |
| Potential delayed effects : Not avai | : Not available. | | | | | | | |
| Long term exposure | | | | | | | | |
| Potential immediate : Not avai effects | : Not available. | | | | | | | |
| Potential delayed effects : Not avai | lable. | | | | | | | |
| Potential chronic health effects | | | | | | | | |
| Not available. | | | | | | | | |
| General : No know | vn significant effects or critical hazards. | | | | | | | |
| | vn significant effects or critical hazards. | | | | | | | |
| | vn significant effects or critical hazards. | | | | | | | |
| | vn significant effects or critical hazards. | | | | | | | |
| Numerical measures of toxicity | - | | | | | | | |
| Acute toxicity estimates | | | | | | | | |
| Product/ingredient name | Oral (mg/ kg) Dermal Inhala (mg/kg) (gase (ppm) | s) (vapors) | | | | | | |
| QUID HIDE GLUE ammonium thiocyanate | 2500 N/A N/A 750 N/A N/A | N/A N/A | | | | | | |

Inhalation (dusts and mists) (mg/

I) N/A N/A

Section 12. Ecological information

Toxicity

| Product/ingredient name | Result | Species | Exposure |
|-------------------------|--|---|---------------------------|
| ammonium thiocyanate | Acute EC50 150 mg/l | Algae - Selenastrum capricornutum | 72 hours |
| | Acute EC50 3.56 mg/l Acute LC50 114 ppm Fresh water Chronic NOEC 3.56 mg/l | Crustaceans - Daphnia Fish - Gambusia affinis - Adult Crustaceans - Daphnia | 48 hours 96 hours - |

Persistence and degradability

Not available.

Bioaccumulative potential

| Product/ingredient name | LogPow | BCF | Potential |
|-------------------------|--------|-----|-----------|
| ammonium thiocyanate | -2.29 | - | low |

Mobility in soil

| mentry meeting | |
|--|---|
| Soil/water partition coefficient (Koc) | : Not available. |
| Other adverse effects | : No known significant effects or critical hazards. |

Section 13. Disposal considerations

| Disposal methods : | The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. |
|--------------------|--|
|--------------------|--|

Section 14. Transport information

| | DOT Classification | TDG Classification | Mexico Classification | ADR/RID | IMDG | ΙΑΤΑ |
|-------------------------------|-----------------------|-----------------------|--------------------------|----------------|----------------|----------------|
| UN number | Not regulated. | Not regulated. | Not regulated. | Not regulated. | Not regulated. | Not regulated. |
| UN proper shipping name | - | - | - | - | - | - |
| Transport hazard class(es) | - | - | - | - | - | - |
| Packing group | - | - | - | - | - | - |
| Environmental hazards | No. | No. | No. | No. | No. | No. |

Section 15. Regulatory information

U.S. Federal regulations

SARA 302/304

Composition/information on ingredients

No products were found.

SARA 304 RQ : Not applicable.

SARA 311/312

Classification

: EYE IRRITATION - Category 2B

Composition/information on ingredients

| Name | % | Classification |
|----------------------|---|---|
| ammonium thiocyanate | | ACUTE TOXICITY (oral) - Category 4 SERIOUS EYE DAMAGE - Category 1 |

SARA 313

| | Product name | CAS number | % |
|---------------------------------|---------------------|------------|-----|
| Form R - Reporting requirements | mmonium thiocyanate | 1762-95-4 | ≤10 |
| Supplier notification | mmonium thiocyanate | 1762-95-4 | ≤10 |

SARA 313 notifications must not be detached from the SDS and any copying and redistribution of the SDS shall include copying and redistribution of the notice attached to copies of the SDS subsequently redistributed.

State regulations

| Massachusetts | : The following components are listed: AMMONIUM THIOCYANATE |
|---------------|--|
| New York | : The following components are listed: Ammonium thiocyanate |
| New Jersey | : The following components are listed: AMMONIUM THIOCYANATE; CYANIDE compounds |
| Pennsylvania | The following components are listed: THIOCYANIC ACID, AMMONIUM SALT; CYANIDE COMPOUNDS |
| | |

California Prop. 65

This product does not require a Safe Harbor warning under California Prop. 65.

International regulations

<u>Chemical Weapon Convention List Schedules I, II & III Chemicals</u> Not listed.

Montreal Protocol

Not listed.

Stockholm Convention on Persistent Organic Pollutants Not listed.

UNECE Aarhus Protocol on POPs and Heavy Metals

Not listed.

Inventory list

| China | : All components are listed or exempted. |
|-------------------------|--|
| United States TSCA 8(b) | : All components are active or exempted. |
| inventory | |

Section 16. Other information

Procedure used to derive the classification

| | Classification | Justification | |
|--------------------------------|---|-----------------|--|
| EYE IRRITATION - Category 2B | | Expert judgment | |
| History | | | |
| Date of printing | : 10/6/2023 | | |
| Date of issue/Date of revision | : 10/6/2023 | | |
| Date of previous issue | : 10/4/2023 | | |
| Version | : 1.2 | | |
| Key to abbreviations | ATE = Acute Toxicity Estimate BCF = Bioconcentration Factor GHS = Globally Harmonized System of Classification and Labelling of Chemicals IATA = International Air Transport Association IBC = Internediate Bulk Container IMDG = International Maritime Dangerous Goods LogPow = logarithm of the octanol/water partition coefficient MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution) UN = United Nations | | |
| References | : Not available. | | |

✓ Indicates information that has changed from previously issued version.

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.